



## **DIESEL DISPENSING STATION HDM 60 ECO**

Article number: 110700860  
EAN: 4031109004985

### **DESCRIPTION**

- Fuel Management System with connexion to myTecalemit
- Double identification system - driver/vehicle for max. 4,000 users
- Identification via transponder technology
- USB interface to access data
- Data connection via LAN & WLAN optionally available
- Data connection via GPRS & LTE optionally available

Use the functions on the website to remember or compare

- incl. drip tray and leakage monitoring
- Rotary vane pump with single-phase asynchronous motor
- Oval gear meter with pulse generator
- A 2010 automatic nozzle with approved design, incl. swivel joint
- Discharge hose holder
- Rear and underground suction pipe connection possible
- Suction pipe min. DN 25
- Graphical Display, illuminated
- Robust powder-coated sheet steel housing
- Stores up to 10,000 transactions
- Menu available in DE, EN, FR, ES, DK, PL, RO, RU
- Additional languages can be installed with a USB flash drive

\* depends on viscosity and system

## TECHNICAL DETAILS

|  |             |
|--|-------------|
| <b>Flow rate</b>                           | 55l/min     |
| <b>Ambient temperature</b>                 | -20 - +55°C |
| <b>Medium temperature</b>                  | -10 - +35°C |
| <b>Suction hose</b>                        | DN 25       |
| <b>Power supply (electrical voltage)</b>   | 230V        |
| <b>Power supply (electrical frequency)</b> | 50Hz        |
| <b>Discharge hose</b>                      | DN 19 x 4 m |
| <b>Tap count</b>                           | 1           |
| <b>Accuracy</b>                            | ± 0,5%      |
| <b>Connection suction side</b>             | G 1"        |

Use the functions on the website to remember or compare

Suction height

3,5m

Use the functions on the website to remember or compare

**TECALEMIT GMBH & CO. KG**

Munketoft 42  
24937 Flensburg

**T** +49 461 8696-126  
**M** [sales@tecalemit.de](mailto:sales@tecalemit.de)

mo-th: 08:00 - 17:00 o'clock  
fr: 08:00 - 15:00 o'clock